

Searches for User *tnguyen1* (Count = 16833)

1/31/08

Queries 16784 through 16833.

S#	Updt	Database	Query	Time	Comment
S16833	U	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	(711/(104-105).ccls. or 711/167.ccls. and 20:13:29 differential adj2 (signal\$ or clock\$) and terminat\$ and delay and address adj2 bus and (control adj2 bus or data adj2 bus) and (ware- frederick\$.in. or tsern-ely\$.in. or perego- richard\$.in. or hampel-craig\$.in.))	2008-01-31	
S16832	U	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	(ware- frederick\$.in.) or (tsern-ely\$.in.) or (perego- richard\$.in.) or (hampel- craig\$.in.)	2008-01-31	20:13:23
S16831	U	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	hampel-craig\$.in.	2008-01-31	
S16830	U	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	perego- richard\$.in.	2008-01-31	20:13:01

S16829	U	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	tsern-ely\$.	2008- 01-31 20:12:51
S16828	U	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	ware- frederick\$.	2008- 01-31 20:12:43
S16827	U	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	(711/(104- 105).ccls. or 711/167.ccls.) and (differential adj2 (signal\$ or clock\$) and terminat\$ and delay and address adj2 bus and (control adj2 bus or data adj2 bus))	2008- 01-31 20:12:26
S16826	U	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	(differential adj2 (signal\$ or clock\$)) and (terminat\$) and (delay) and (address adj2 bus) and ((control adj2 bus) or (data adj2 bus))	2008- 01-31 20:12:17
S16825	U	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	(711/(104- 105).ccls.) or (711/167.ccls.)	2008- 01-31 20:11:32
S16824	U	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	711/167.ccls.	2008- 01-31 20:11:24
S16823	U	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	711/(104- 105).ccls.	2008- 01-31 20:11:13
S16822	U	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	data adj2 bus	2008- 01-31 20:07:55
S16821	U	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	control adj2 bus	2008- 01-31 20:07:39
S16820	U	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	address adj2 bus	2008- 01-31 20:07:26

S16819	<u>U</u>	PGPB,USPT,EPAB,JPAB,DWPI,TDBD delay	2008- 01-31 20:06:53
S16818	<u>U</u>	PGPB,USPT,EPAB,JPAB,DWPI,TDBD terminat\$	2008- 01-31 20:06:05
S16817	<u>U</u>	PGPB,USPT,EPAB,JPAB,DWPI,TDBD differential adj2 (signal\$ or clock\$)	2008- 01-31 20:05:07
S16816	<u>U</u>	PGPB,USPT,EPAB,JPAB,DWPI,TDBD (differential) and (((4266282 or 5097489 or 5357621 or 5530623 or 5577236 or 5579352 or 5615358 or 6131149 or 6292903 or 6553472 or 6611905 or 6804764 or 6807614 or 6928571 or 6970988 or 7076745 or 7100066 or 7224595 or 6232792).pn.))	2008- 01-31 17:25:13
S16815	<u>U</u>	PGPB,USPT,EPAB,JPAB,DWPI,TDBD (((4266282 or 5097489 or 5357621 or 5530623 or 5577236 or 5579352 or 5615358 or 6131149 or 6292903 or 6553472 or 6611905 or 6804764 or 6807614 or 6928571 or 6970988 or 7076745 or	2008- 01-31 17:24:54

			7100066 or 7224595 or 6232792).pn.)) and (data adj bus with differential)
<u>S16814</u>	<u>U</u>	PGPB,USPT,EPAB,JPAB,DWPI,TDBD (data adj bus) with (differential)	2008-01-31 17:24:46
<u>S16813</u>	<u>U</u>	PGPB,USPT,EPAB,JPAB,DWPI,TDBD differential	2008-01-31 17:24:35
<u>S16812</u>	<u>U</u>	PGPB,USPT,EPAB,JPAB,DWPI,TDBD data adj bus	2008-01-31 17:24:25
<u>S16811</u>	<u>U</u>	PGPB,USPT,EPAB,JPAB,DWPI,TDBD ((terminat\$) and (((4266282 or 5097489 or 5357621 or 5530623 or 5577236 or 5579352 or 5615358 or 6131149 or 6292903 or 6553472 or 6611905 or 6804764 or 6807614 or 6928571 or 6970988 or 7076745 or 7100066 or 7224595 or 6232792).pn.))) not (((data near2 bus) and (((("5577236" "6131149" "6611905" "6553472" "6928571" "6292903" "5615358")!.PN.) .p67-p152. and address near2	2008-01-31 17:04:21

			bus)) and terminat\$)
<u>S16810</u>	<u>U</u>	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	(((data near2 bus 2008-)) and 01-31 (((5577236" 17:03:28 "6131149" "6611905" "6553472" "6928571" "6292903" "5615358")!.PN.) .p67-p152. and address near2 bus)) and (terminat\$).
<u>S16809</u>	<u>U</u>	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	terminat\$ 2008- 01-31
<u>S16808</u>	<u>U</u>	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	5778419.pn. 2008- 01-31
<u>S16807</u>	<u>U</u>	PGPB,USPT,EPAB,JPAB,DWPI,TDBD	5615358.pn. 2008- 01-31
<u>S16806</u>	<u>U</u>	USPT	((data near2 bus) 2008- and (((5577236" 01-30 "6131149" 14:04:45 "6611905" "6553472" "6928571" "6292903" "5615358")!.PN.) .p67-p152. and address near2 bus)
<u>S16805</u>	<u>U</u>	USPT	((5577236" 2008- "6131149" 01-30 "6611905" 14:04:39 "6553472" "6928571" "6292903" "5615358")!.PN.) .p67-p152.) and (address near2 bus)

S16804	U	USPT	data near2 bus	2008-01-30 13:27:30
S16803	U	USPT	address near2 bus	2008-01-30 13:27:16
S16802	U	PGPB,USPT,EPAB,JPAB,DWPI,TDBD (4266282 or 5097489 or 5357621 or 5530623 or 5577236 or 5579352 or 5615358 or 6131149 or 6292903 or 6553472 or 6611905 or 6804764 or 6807614 or 6928571 or 6970988 or 7076745 or 7100066 or 7224595 or 6232792).pn.	2008-01-30 09:18:52	

Welcome United States Patent and Trademark Office

BROWSE

SEARCH

IEEE Xplore GUIDE

SUPPORT

Search Results

Results for "(((delay <or> skew)<in>metadata)<and>((terminat*)<in>metadata))<and>(...)"
 Your search matched 16 of 353 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

 


» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

Check to search only within this results set

Display Format: Citation Citation & Abstract

IEEE/IET

Books

Educational Courses

Application Notes

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

[Select All](#) [Deselect All](#)

1. **Negative capacitance bus terminator for improving the switching speed of a microcomputer databus**
 Shoji, M.; Rolfe, R.M.;
Solid-State Circuits, IEEE Journal of
 Volume 20, Issue 4, Aug 1985 Page(s):828 - 832
[AbstractPlus](#) | [Full Text: PDF\(744 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
2. **Memory card address bus design**
 Gernhart, D.A.; Chang, C.S.; Ho, K.K.T.;
Southern Tier Technical Conference, 1990., Proceedings of the 1990 IEEE
 25 April 1990 Page(s):173 - 186
 Digital Object Identifier 10.1109/STIER.1990.324643
[AbstractPlus](#) | [Full Text: PDF\(480 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
3. **Modeling, simulation, and measurement considerations of high-speed digital buses**
 Novak, I.;
Instrumentation and Measurement Technology Conference, 1992. IMTC '92., 9th IEEE
 12-14 May 1992 Page(s):147 - 151
 Digital Object Identifier 10.1109/IMTC.1992.245160
[AbstractPlus](#) | [Full Text: PDF\(372 KB\)](#) [IEEE CNF](#)
[Rights and Permissions](#)
4. **Simulation lossless symmetrical three conductor systems**
 Guggenbuhl, W.; Morbach, G.; Schaller, M.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on
 Volume 10, Issue 7, July 1991 Page(s):904 - 910
 Digital Object Identifier 10.1109/43.87600
[AbstractPlus](#) | [Full Text: PDF\(388 KB\)](#) [IEEE JNL](#)
[Rights and Permissions](#)
5. **Dynamic clamping: on-chip dynamic shielding and termination for high-speed RLC buses**
 Agarwal, K.; Sylvester, D.; Blaauw, D.;

System-on-Chip, 2003. Proceedings. International Symposium on
19-21 Nov. 2003 Page(s):97 - 100
Digital Object Identifier 10.1109/ISSOC.2003.1267726
[AbstractPlus](#) | [Full Text: PDF\(360 KB\)](#) | [IEEE CNF](#)
[Rights and Permissions](#)

6. Dynamic termination output driver for a 600 MHz microprocessor
Vishwanthaiah, S.; Ang, M.; Starr, J.; Taylor, A.;
Solid-State Circuits Conference, 2000. Digest of Technical Papers. ISSCC. 2000 IEEE International
7-9 Feb. 2000 Page(s):248 - 249
Digital Object Identifier 10.1109/ISSCC.2000.839770
[AbstractPlus](#) | [Full Text: PDF\(220 KB\)](#) | [IEEE CNF](#)
[Rights and Permissions](#)

7. A CMOS gate array with dynamic-termination GTL I/O circuits
Kudoh, J.; Takahashi, T.; Umada, Y.; Kimura, M.; Yamamoto, S.; Ito, Y.;
Computer Design: VLSI in Computers and Processors, 1995. ICCD '95. Proceedings., 1995 IEEE International Conference on
2-4 Oct. 1995 Page(s):25 - 29
Digital Object Identifier 10.1109/ICCD.1995.528786
[AbstractPlus](#) | [Full Text: PDF\(276 KB\)](#) | [IEEE CNF](#)
[Rights and Permissions](#)

8. Prioritized resource assignment for mobile cellular communication systems with mixed se and platform types
Rappaport, S.S.; Pürzynski, C.;
Vehicular Technology, IEEE Transactions on
Volume 45, Issue 3, Aug. 1996 Page(s):443 - 458
Digital Object Identifier 10.1109/25.533760
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(1392 KB\)](#) | [IEEE JNL](#)
[Rights and Permissions](#)

9. Radio-requestable passive SAW water-content sensor
Reindl, L.; Ruppel, C.C.W.; Kirmayr, A.; Stockhausen, N.; Hilhorst, M.A.; Balendonck, J.;
Microwave Theory and Techniques, IEEE Transactions on
Volume 49, Issue 4, Part 2, April 2001 Page(s):803 - 808
Digital Object Identifier 10.1109/22.915467
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(156 KB\)](#) | [IEEE JNL](#)
[Rights and Permissions](#)

10. Boosters for driving long onchip interconnects - design issues, interconnect synthesis, ar comparison with repeaters
Nalamalpu, A.; Srinivasan, S.; Burleson, W.P.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on
Volume 21, Issue 1, Jan. 2002 Page(s):50 - 62
Digital Object Identifier 10.1109/43.974137
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(268 KB\)](#) | [IEEE JNL](#)
[Rights and Permissions](#)

11. Aquaculture Feed Buoy Control - Part 1: System Controller
Boduch, S.J.; Irish, J.D.;
OCEANS 2006
Sept. 2006 Page(s):1 - 6
Digital Object Identifier 10.1109/OCEANS.2006.307132
[AbstractPlus](#) | [Full Text: PDF\(6983 KB\)](#) | [IEEE CNF](#)
[Rights and Permissions](#)

12. Design, modeling and simulation methodology for source synchronous DDR memory subsystems

Pham, N.; Cases, M.; Bandyopadhyay, J.;
Electronic Components and Technology Conference, 2000. 2000 Proceedings. 50th
21-24 May 2000 Page(s):267 - 271
Digital Object Identifier 10.1109/ECTC.2000.853161
[AbstractPlus](#) | [Full Text: PDF\(352 KB\)](#) | [IEEE CNF](#)
[Rights and Permissions](#)

13. Passive radio requestable SAW water content sensor

Reindl, L.; Ruppel, C.C.W.; Kirmayr, A.; Slockhausen, N.; Hilhorst, M.A.;
Ultrasonics Symposium, 1999. Proceedings. 1999 IEEE
Volume 1, 17-20 Oct. 1999 Page(s):461 - 466 vol.1
Digital Object Identifier 10.1109/ULTSYM.1999.849440

[AbstractPlus](#) | [Full Text: PDF\(444 KB\)](#) | [IEEE CNF](#)
[Rights and Permissions](#)

14. A 667MT/s 10.7GB/s Multiprocessor Bus Interface

Muljono, H.; Rusu, S.; Tian, K.; Atha, M.;
Asian Solid-State Circuits Conference, 2005
Nov. 2005 Page(s):49 - 52
Digital Object Identifier 10.1109/ASSCC.2005.251804

[AbstractPlus](#) | [Full Text: PDF\(442 KB\)](#) | [IEEE CNF](#)
[Rights and Permissions](#)

15. Design and modeling challenges for DDR II memory subsystems

Wirick, A.; Ulrich, S.; Pham, N.; Cases, M.; de Araujo, D.N.;
Electrical Performance of Electronic Packaging, 2003
27-29 Oct. 2003 Page(s):229 - 232
Digital Object Identifier 10.1109/EPEP.2003.1250038

[AbstractPlus](#) | [Full Text: PDF\(364 KB\)](#) | [IEEE CNF](#)
[Rights and Permissions](#)

16. A 400MT/s 6.4GB/s multiprocessor bus interface

Muljono, H.; Beomtaek Lee; Tian, K.; Wang, Y.E.; Huang, T.; Atha, M.; Adachi, M.;
Solid-State Circuits Conference, 2003. Digest of Technical Papers. ISSCC. 2003 IEEE International
2003 Page(s):338 - 339 vol.1
Digital Object Identifier 10.1109/ISSCC.2003.1234324

[AbstractPlus](#) | [Full Text: PDF\(376 KB\)](#) | [Multimedia](#) | [IEEE CNF](#)
[Rights and Permissions](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) | [Purchase History](#) | [Cart](#) | [Sitemap](#) | [Help](#)

Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE Xplore Guide](#)[SUPPORT](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Thu, 31 Jan 2008, 8:19:19 PM EST

Search Query Display

Recent Search Queries

		Results
#1	((delay <or> skew)<in>metadata)	64262
#2	((delay <or> skew)<in>metadata)	64262
#3	((((delay <or> skew)<in>metadata)<AND>((terminat* <in>metadata))<AND>((bus <in>metadata)))<AND>((bus <in>metadata)))	353
#4	((((delay <or> skew)<in>metadata)<and>((terminat* <in>metadata))<AND>((bus <in>metadata)))<AND>((bus <in>metadata)))	16

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2007 IEEE – All Rights Reserved

Indexed by
 Inspec